

simply radiators

Bathroom Radiators – Data Sheet

Model	Height (mm)	Width (mm)	Tapping Centres (mm)	Output 60°C Δt (Watts)	Output 50°C Δt (Watts)
Envoy					
WBT07/45	748	446	396	428	325
WBT07/50	748	496	446	473	359
WBT07/55	748	546	496	518	394
WBT07/60	748	596	546	563	428
WBT11/45	1156	446	396	615	467
WBT11/50	1156	496	446	687	522
WBT11/55	1156	546	496	745	566
WBT11/60	1156	596	546	809	615
WBT14/45	1398	446	396	760	534
WBT14/50	1398	496	446	850	597
WBT14/55	1398	546	496	920	647
WBT14/60	1398	596	546	999	703
WBT17/45	1744	446	396	905	688
WBT17/50	1744	496	446	1001	761
WBT17/55	1744	546	496	1093	831
WBT17/60	1744	596	546	1188	903
Prima					
WBP07/45	733	450	420	433	329
WBP07/50	733	500	470	549	417
WBP07/60	733	600	570	607	461
WBP11/45	1133	450	420	677	515
WBP11/50	1133	500	470	841	639
WBP11/60	1133	600	570	932	708
WBP17/45	1733	450	420	1036	787
WBP17/50	1733	500	470	1273	967
WBP17/60	1733	600	570	1410	1072
Beau					
WBT07/45	748	446	396	428	325
WBT07/50	748	496	446	473	359
WBT07/55	748	546	496	518	394
WBT07/60	748	596	546	563	428
WBT11/45	1156	446	396	615	467
WBT11/50	1156	496	446	687	522
WBT11/55	1156	546	496	745	566
WBT11/60	1156	596	546	809	615
WBT14/45	1398	446	396	760	534
WBT14/50	1398	496	446	850	597
WBT14/55	1398	546	496	920	647
WBT14/60	1398	596	546	999	703
WBT17/45	1744	446	396	905	688
WBT17/50	1744	496	446	1001	761
WBT17/55	1744	546	496	1093	831
WBT17/60	1744	596	546	1188	903

Bathroom Radiators – Data Sheet

Model	Height (mm)	Width (mm)	Tapping Centres (mm)	Output 60°C Δt (Watts)	Output 50°C Δt (Watts)
Bella					
WBE07/45	716	450	420	390	296
WBE07/50	716	500	470	427	325
WBE07/60	716	600	570	510	388
WBE11/45	1098	450	420	578	439
WBE11/50	1098	500	470	638	485
WBE11/60	1098	600	570	766	582
WBE17/45	1698	450	420	870	661
WBE17/50	1698	500	470	951	723
WBE17/60	1698	600	570	1148	872
Elise					
WH75/50	775	500	468	692	-
WH12/50	1200	500	468	1059	-
Henley					
HEN01	955	680	-	987	-
HEN02	955	805	-	1330	-
HEN03	955	945	-	1668	-
Sandringham					
SND01	955	675	-	250	-
SND02	955	840	-	285	-
Ascot					
ASC01	955	675	-	458	-
ASC02	955	850	-	534	-
Balmoral					
BAL01	990	600	-	496	-
Oxford					
OXF01	680	680	-	196	-
Maplin V					
MAPV01	775	500	-	374	-
MAPV02	1200	450	-	706	-
MAPV03	1700	400	-	819	-
Nautical					
NT01	800	500	-	266	-
Diana					
DIN01	640	900	265	474	-
DIN02	750	700	265	404	-

Bathroom Radiators – Data Sheet

Model	Height (mm)	Width (mm)	Tapping Centres (mm)	Output 60°C Δt (Watts)	Output 50°C Δt (Watts)
Rhona					
RH01	955	840	-	687	-
Neptune					
NEP01	895	350	315	538	
Oxford Box					
OXB01	680	680	-	179	-
Sandringham Box					
SNDB01	1000	680	-	182	-
Monaco H					
MONH01	550	1200	-	300	-
Monaco V					
MONV01	750	550	-	303	-
MONV02	1200	525	-	330	-

Bathroom Radiators

- Most models can be supplied for either electric, dual-fuel or hot water systems.
- A bespoke towel rail service is available, call the sales office to discuss further.
- The Envoy, Prima, Beau, Bella, Neptune and Diana are manufactured from tubular steel and are only suitable for closed/indirect heating systems.
- The standard colour for these models is RAL9010 White; other colours and finishes are available.
- The Henley is manufactured from both tubular brass and steel and is therefore only suitable for closed/indirect heating systems.
- All other models are manufactured from dezincification resistant brass tube and are suitable for direct and indirect heating systems.
- Simply Radiators reserve the right to alter design, specifications and prices without prior notice.

simply radiators

Sandycroft House • 20 Station Road • Woburn Sands • Bucks MK17 8RW
 Tel: 0870 991 3648 • Fax: 0870 432 5213 • Email: sales@simplyradiators.co.uk • Web: www.simplyradiators.co.uk