

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
<b>HHN (Horizontal)</b>					
HHN11-3	350	500	61	-	334
HHN11-3	350	800	61	-	534
HHN11-3	350	1000	61	-	668
HHN11-3	350	1200	61	-	802
HHN11-3	350	1500	61	-	1002
HHN11-3	350	2000	61	-	1336
HHN11-3	350	2600	61	-	1737
HHN11-5	420	800	61	-	643
HHN11-5	420	1200	61	-	965
HHN11-5	490	600	61	-	527
HHN11-5	490	800	61	-	702
HHN11-5	490	1000	61	-	878
HHN11-5	490	1200	61	-	1054
HHN11-5	490	1500	61	-	1317
HHN11-5	490	2000	61	-	1756
HHN11-5	490	2600	61	-	2283
HHN11-7	630	800	61	-	831
HHN11-7	630	1000	61	-	1039
HHN11-7	630	1200	61	-	1247
HHN11-7	630	1500	61	-	1559
HHN11-7	630	2000	61	-	2078
HHN11-7	630	2600	61	-	2701
HHN21-3	350	500	72	-	462
HHN21-3	350	800	72	-	739
HHN21-3	350	1000	72	-	924
HHN21-3	350	1200	72	-	1109
HHN21-3	350	1500	72	-	1386
HHN21-3	350	2000	72	-	1848
HHN21-3	350	2600	72	-	2402
HHN21-5	420	800	72	-	985
HHN21-5	420	1200	72	-	1477
HHN21-5	490	600	72	-	695
HHN21-5	490	800	72	-	926
HHN21-5	490	1000	72	-	1158
HHN21-5	490	1200	72	-	1390
HHN21-5	490	1500	72	-	1737
HHN21-5	490	2000	72	-	2316
HHN21-5	490	2600	72	-	3011
HHN21-7	630	800	72	-	1223
HHN21-7	630	1000	72	-	1529
HHN21-7	630	1200	72	-	1829
HHN21-7	630	1500	72	-	2294
HHN21-7	630	2000	72	-	3058
HHN21-7	630	2600	72	-	3975
<b>HHN (Vertical)</b>					
HVN 11	800	140	61	-	174
HVN 11	800	280	61	-	349
HVN 11	800	420	61	-	523
HVN 11	1000	140	61	-	212
HVN 11	1000	280	61	-	424
HVN 11	1000	420	61	-	636
HVN 11	1200	140	61	-	248
HVN 11	1200	280	61	-	496
HVN 11	1200	420	61	-	743
HVN 11	1800	210	61	-	522
HVN 11	1800	420	61	-	1044

Flat Panel Radiators - Data Sheet

Product Code	Height (mm)	Width (mm)	Depth (mm)	Output Delta t 60°C (Watts)	Output Delta t 50°C (Watts)
HVN 11	2200	140	61	-	409
HVN 11	2200	350	61	-	1023
HVN 22	1400	560	122	-	1777
HVN 22	1400	840	122	-	2666
HVN 22	1600	560	122	-	1976
HVN 22	1600	840	122	-	2964

**Hudevad P5**

HF030/040	300	400	40	-	128
HF030/050	300	500	40	-	161
HF030/060	300	600	40	-	193
HF030/070	300	700	40	-	225
HF030/080	300	800	40	-	257
HF030/090	300	900	40	-	289
HF030/100	300	1000	40	-	321
HF030/120	300	1200	40	-	385
HF030/140	300	1400	40	-	449
HF030/160	300	1600	40	-	514
HF030/180	300	1800	40	-	578
HF030/200	300	2000	40	-	642
HF040/040	400	400	40	-	164
HF040/050	400	500	40	-	206
HF040/060	400	600	40	-	247
HF040/070	400	700	40	-	288
HF040/080	400	800	40	-	329
HF040/090	400	900	40	-	370
HF040/100	400	1000	40	-	411
HF040/120	400	1200	40	-	493
HF040/140	400	1400	40	-	575
HF040/160	400	1600	40	-	658
HF040/180	400	1800	40	-	740
HF040/200	400	2000	40	-	822
HF050/040	500	400	40	-	200
HF050/050	500	500	40	-	250
HF050/060	500	600	40	-	300
HF050/070	500	700	40	-	350
HF050/080	500	800	40	-	400
HF050/090	500	900	40	-	450
HF050/100	500	1000	40	-	500
HF050/120	500	1200	40	-	600
HF050/140	500	1400	40	-	700
HF050/160	500	1600	40	-	800
HF050/180	500	1800	40	-	900
HF050/200	500	2000	40	-	1000
HF060/040	600	400	40	-	234
HF060/050	600	500	40	-	293
HF060/060	600	600	40	-	351
HF060/070	600	700	40	-	410
HF060/080	600	800	40	-	468
HF060/090	600	900	40	-	527
HF060/100	600	1000	40	-	585
HF060/120	600	1200	40	-	702
HF060/140	600	1400	40	-	819
HF060/160	600	1600	40	-	936
HF060/180	600	1800	40	-	1053
HF060/200	600	2000	40	-	1170
HF070/040	700	400	40	-	268
HF070/050	700	500	40	-	335

Flat Panel Radiators - Data Sheet

Product Code	Height (mm)	Width (mm)	Depth (mm)	Output Delta t 60°C (Watts)	Output Delta t 50°C (Watts)
HF070/060	700	600	40	-	401
HF070/070	700	700	40	-	468
HF070/080	700	800	40	-	535
HF070/090	700	900	40	-	602
HF070/100	700	1000	40	-	669
HF070/120	700	1200	40	-	803
HF070/140	700	1400	40	-	937
HF070/160	700	1600	40	-	1070
HF070/180	700	1800	40	-	1204
HF070/200	700	2000	40	-	1338
HF100/040	1000	400	40	-	374
HF100/050	1000	500	40	-	468
HF100/060	1000	600	40	-	562
HF100/070	1000	700	40	-	655
HF100/080	1000	800	40	-	749
HF100/090	1000	900	40	-	842
HF100/100	1000	1000	40	-	936
HF100/120	1000	1200	40	-	1123
HF100/140	1000	1400	40	-	1310
HF100/160	1000	1600	40	-	1498
HF100/180	1000	1800	40	-	1685
HF100/200	1000	2000	40	-	1872

**Hudevad P5K**

HK030/040	300	400	58	-	206
HK030/050	300	500	58	-	258
HK030/060	300	600	58	-	309
HK030/070	300	700	58	-	361
HK030/080	300	800	58	-	412
HK030/090	300	900	58	-	464
HK030/100	300	1000	58	-	515
HK030/120	300	1200	58	-	618
HK030/140	300	1400	58	-	721
HK030/160	300	1600	58	-	824
HK030/180	300	1800	58	-	927
HK030/200	300	2000	58	-	1030
HK040/040	400	400	58	-	250
HK040/050	400	500	58	-	313
HK040/060	400	600	58	-	375
HK040/070	400	700	58	-	438
HK040/080	400	800	58	-	501
HK040/090	400	900	58	-	563
HK040/100	400	1000	58	-	626
HK040/120	400	1200	58	-	751
HK040/140	400	1400	58	-	876
HK040/160	400	1600	58	-	1002
HK040/180	400	1800	58	-	1127
HK040/200	400	2000	58	-	1252
HK050/040	500	400	58	-	291
HK050/050	500	500	58	-	364
HK050/060	500	600	58	-	437
HK050/070	500	700	58	-	510
HK050/080	500	800	58	-	582
HK050/090	500	900	58	-	655
HK050/100	500	1000	58	-	728
HK050/120	500	1200	58	-	874
HK050/140	500	1400	58	-	1019
HK050/160	500	1600	58	-	1165

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
HK050/180	500	1800	58	-	1310
HK050/200	500	2000	58	-	1456
HK060/040	600	400	58	-	330
HK060/050	600	500	58	-	412
HK060/060	600	600	58	-	494
HK060/070	600	700	58	-	577
HK060/080	600	800	58	-	659
HK060/090	600	900	58	-	742
HK060/100	600	1000	58	-	824
HK060/120	600	1200	58	-	989
HK060/140	600	1400	58	-	1154
HK060/160	600	1600	58	-	1318
HK060/180	600	1800	58	-	1483
HK060/200	600	2000	58	-	1648
HK070/040	700	400	58	-	366
HK070/050	700	500	58	-	458
HK070/060	700	600	58	-	549
HK070/070	700	700	58	-	641
HK070/080	700	800	58	-	732
HK070/090	700	900	58	-	824
HK070/100	700	1000	58	-	915
HK070/120	700	1200	58	-	1098
HK070/140	700	1400	58	-	1281
HK070/160	700	1600	58	-	1464
HK070/180	700	1800	58	-	1647
HK070/200	700	2000	58	-	1830
HK100/040	1000	400	58	-	480
HK100/050	1000	500	58	-	600
HK100/060	1000	600	58	-	720
HK100/070	1000	700	58	-	840
HK100/080	1000	800	58	-	960
HK100/090	1000	900	58	-	1080
HK100/100	1000	1000	58	-	1200
HK100/120	1000	1200	58	-	1440
HK100/140	1000	1400	58	-	1680
HK100/160	1000	1600	58	-	1920
HK100/180	1000	1800	58	-	2160
HK100/200	1000	2000	58	-	2400

**Hudevad P5KV**

HKV140/030	1400	300	58	-	480
HKV140/040	1400	400	58	-	640
HKV140/050	1400	500	58	-	800
HKV140/060	1400	600	58	-	960
HKV140/070	1400	700	58	-	1120
HKV140/100	1400	1000	58	-	1600
HKV160/030	1600	300	58	-	547
HKV160/040	1600	400	58	-	729
HKV160/050	1600	500	58	-	912
HKV160/060	1600	600	58	-	1094
HKV160/070	1600	700	58	-	1276
HKV160/100	1600	1000	58	-	1823
HKV180/030	1800	300	58	-	613
HKV180/040	1800	400	58	-	818
HKV180/050	1800	500	58	-	1022
HKV180/060	1800	600	58	-	1226
HKV180/070	1800	700	58	-	1431
HKV180/100	1800	1000	58	-	2044

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
HKV200/030	2000	300	58	-	680
HKV200/040	2000	400	58	-	906
HKV200/050	2000	500	58	-	1133
HKV200/060	2000	600	58	-	1360
HKV200/070	2000	700	58	-	1586
HKV200/100	2000	1000	58	-	2266
HKV220/030	2200	300	58	-	746
HKV220/040	2200	400	58	-	994
HKV220/050	2200	500	58	-	1243
HKV220/060	2200	600	58	-	1492
HKV220/070	2200	700	58	-	1740
HKV220/100	2200	1000	58	-	2486

**Hudevad P5V**

HFV140/030	1400	300	40	-	422
HFV140/040	1400	400	40	-	562
HFV140/050	1400	500	40	-	703
HFV140/060	1400	600	40	-	843
HFV140/070	1400	700	40	-	984
HFV140/100	1400	1000	40	-	1405
HFV160/030	1600	300	40	-	475
HFV160/040	1600	400	40	-	633
HFV160/050	1600	500	40	-	791
HFV160/060	1600	600	40	-	949
HFV160/070	1600	700	40	-	1107
HFV160/100	1600	1000	40	-	1582
HFV180/030	1800	300	40	-	527
HFV180/040	1800	400	40	-	702
HFV180/050	1800	500	40	-	878
HFV180/060	1800	600	40	-	1054
HFV180/070	1800	700	40	-	1229
HFV180/100	1800	1000	40	-	1756
HFV200/030	2000	300	40	-	578
HFV200/040	2000	400	40	-	771
HFV200/050	2000	500	40	-	964
HFV200/060	2000	600	40	-	1157
HFV200/070	2000	700	40	-	1350
HFV200/100	2000	1000	40	-	1928
HFV220/030	2200	300	40	-	630
HFV220/040	2200	400	40	-	840
HFV220/050	2200	500	40	-	1050
HFV220/060	2200	600	40	-	1259
HFV220/070	2200	700	40	-	1469
HFV220/100	2200	1000	40	-	2099

**Image (Horizontal)**

IH40/130	396	1220	30	-	490
IH40/180	396	1820	30	-	730
IH40/200	396	2020	30	-	800
IH50/130	520	1220	30	-	650
IH50/180	520	1820	30	-	960
IH50/200	520	2020	30	-	1070
IH60/130	644	1220	30	-	800
IH60/180	644	1820	30	-	1200
IH60/200	644	2020	30	-	1350

Flat Panel Radiators - Data Sheet

Product Code	Height (mm)	Width (mm)	Depth (mm)	Output Delta t 60°C (Watts)	Output Delta t 50°C (Watts)
<b>Image (Vertical)</b>					
IV40/130	1240	396	30	-	490
IV40/180	1840	396	30	-	730
IV40/200	2040	396	30	-	800
IV50/130	1240	520	30	-	650
IV50/180	1840	520	30	-	960
IV50/200	2040	520	30	-	1070
IV60/130	1240	644	30	-	800
IV60/180	1840	644	30	-	1200
IV60/200	2040	644	30	-	1350

<b>Prolux C</b>					
C1/070/050	70	500	66	219	-
C1/070/100	70	1000	66	438	-
C1/070/150	70	1500	66	657	-
C1/070/200	70	2000	66	876	-
C1/140/050	140	500	66	356	-
C1/140/100	140	1000	66	711	-
C1/140/150	140	1500	66	1067	-
C1/140/200	140	2000	66	1422	-
C1/210/050	210	500	66	480	-
C1/210/100	210	1000	66	960	-
C1/210/150	210	1500	66	1440	-
C1/210/200	210	2000	66	1920	-
C1/280/050	280	500	66	573	-
C1/280/100	280	1000	66	1146	-
C1/280/150	280	1500	66	1719	-
C1/280/200	280	2000	66	2292	-
C2/70/050	70	500	124	387	-
C2/070/100	70	1000	124	773	-
C2/070/150	70	1500	124	1160	-
C2/070/200	70	2000	124	1546	-
C2/140/050	140	500	124	569	-
C2/140/100	140	1000	124	1137	-
C2/140/150	140	1500	124	1706	-
C2/140/200	140	2000	124	2274	-
C2/210/050	210	500	124	751	-
C2/210/100	210	1000	124	1501	-
C2/210/150	210	1500	124	2252	-
C2/210/200	210	2000	124	3002	-

Floor Brackets

Wall Brackets

<b>Prolux H (Horizontal)</b>					
PW35/050	350	500	40	247	-
PW35/060	350	600	40	296	-
PW35/080	350	800	40	394	-
PW35/100	350	1000	40	493	-
PW35/120	350	1200	40	592	-
PW35/140	350	1400	40	690	-
PW35/160	350	1600	40	789	-
PW35/180	350	1800	40	887	-
PW35/200	350	2000	40	986	-
PW42/050	420	500	40	290	-
PW42/060	420	600	40	348	-
PW42/080	420	800	40	464	-
PW42/100	420	1000	40	580	-

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
PW42/120	420	1200	40	696	-
PW42/140	420	1400	40	812	-
PW42/160	420	1600	40	928	-
PW42/180	420	1800	40	1044	-
PW42/200	420	2000	40	1160	-
PW49/050	490	500	40	332	-
PW49/060	490	600	40	398	-
PW49/080	490	800	40	531	-
PW49/100	490	1000	40	664	-
PW49/120	490	1200	40	797	-
PW49/140	490	1400	40	930	-
PW49/160	490	1600	40	1062	-
PW49/180	490	1800	40	1195	-
PW49/200	490	2000	40	1328	-
PW56/050	560	500	40	374	-
PW56/060	560	600	40	448	-
PW56/080	560	800	40	598	-
PW56/100	560	1000	40	747	-
PW56/120	560	1200	40	896	-
PW56/140	560	1400	40	1046	-
PW56/160	560	1600	40	1195	-
PW56/180	560	1800	40	1345	-
PW56/200	560	2000	40	1494	-
PW63/050	630	500	40	416	-
PW63/060	630	600	40	499	-
PW63/080	630	800	40	665	-
PW63/100	630	1000	40	831	-
PW63/120	630	1200	40	997	-
PW63/140	630	1400	40	1163	-
PW63/160	630	1600	40	1330	-
PW63/180	630	1800	40	1496	-
PW63/200	630	2000	40	1662	-
PWL35/050	350	500	58	435	-
PWL35/060	350	600	58	521	-
PWL35/080	350	800	58	695	-
PWL35/100	350	1000	58	869	-
PWL35/120	350	1200	58	1043	-
PWL35/140	350	1400	58	1217	-
PWL35/160	350	1600	58	1390	-
PWL35/180	350	1800	58	1564	-
PWL35/200	350	2000	58	1738	-
PWL42/050	420	500	58	523	-
PWL42/060	420	600	58	628	-
PWL42/080	420	800	58	837	-
PWL42/100	420	1000	58	1046	-
PWL42/120	420	1200	58	1255	-
PWL42/140	420	1400	58	1464	-
PWL42/160	420	1600	58	1674	-
PWL42/180	420	1800	58	1883	-
PWL42/200	420	2000	58	2092	-
PWL49/050	490	500	58	571	-
PWL49/060	490	600	58	685	-
PWL49/080	490	800	58	914	-
PWL49/100	490	1000	58	1142	-
PWL49/120	490	1200	58	1370	-
PWL49/140	490	1400	58	1599	-
PWL49/160	490	1600	58	1827	-
PWL49/180	490	1800	58	2056	-

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
PWL49/200	490	2000	58	2284	-
PWL56/050	560	500	58	616	-
PWL56/060	560	600	58	739	-
PWL56/080	560	800	58	985	-
PWL56/100	560	1000	58	1231	-
PWL56/120	560	1200	58	1477	-
PWL56/140	560	1400	58	1847	-
PWL56/160	560	1600	58	1970	-
PWL56/180	560	1800	58	2216	-
PWL56/200	560	2000	58	2462	-
PWL63/050	630	500	58	703	-
PWL63/060	630	600	58	843	-
PWL63/080	630	800	58	1124	-
PWL63/100	630	1000	58	1605	-
PWL63/120	630	1200	58	1686	-
PWL63/140	630	1400	58	1967	-
PWL63/160	630	1600	58	2248	-
PWL63/180	630	1800	58	2529	-
PWL63/200	630	2000	58	2810	-
PWLW35/050	350	500	66	574	-
PWLW35/060	350	600	66	689	-
PWLW35/080	350	800	66	918	-
PWLW35/100	350	1000	66	1148	-
PWLW35/120	350	1200	66	1378	-
PWLW35/140	350	1400	66	1607	-
PWLW35/160	350	1600	66	1837	-
PWLW35/180	350	1800	66	2066	-
PWLW35/200	350	2000	66	2296	-
PWLW42/050	420	500	66	682	-
PWLW42/060	420	600	66	818	-
PWLW42/080	420	800	66	1090	-
PWLW42/100	420	1000	66	1363	-
PWLW42/120	420	1200	66	1636	-
PWLW42/140	420	1400	66	1908	-
PWLW42/160	420	1600	66	2181	-
PWLW42/180	420	1800	66	2453	-
PWLW42/200	420	2000	66	2726	-
PWLW49/050	490	500	66	745	-
PWLW49/060	490	600	66	893	-
PWLW49/080	490	800	66	1191	-
PWLW49/100	490	1000	66	1489	-
PWLW49/120	490	1200	66	1787	-
PWLW49/140	490	1400	66	2085	-
PWLW49/160	490	1600	66	2382	-
PWLW49/180	490	1800	66	2680	-
PWLW49/200	490	2000	66	2978	-
PWLW56/050	560	500	66	808	-
PWLW56/060	560	600	66	969	-
PWLW56/080	560	800	66	1292	-
PWLW56/100	560	1000	66	1615	-
PWLW56/120	560	1200	66	1938	-
PWLW56/140	560	1400	66	2261	-
PWLW56/160	560	1600	66	2584	-
PWLW56/180	560	1800	66	2907	-
PWLW56/200	560	2000	66	3230	-
PWLW63/050	630	500	66	907	-
PWLW63/060	630	600	66	1088	-
PWLW63/080	630	800	66	1451	-

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
PWLW63/100	630	1000	66	1814	-
PWLW63/120	630	1200	66	2177	-
PWLW63/140	630	1400	66	2540	-
PWLW63/160	630	1600	66	2902	-
PWLW63/180	630	1800	66	3265	-
PWLW63/200	630	2000	66	3628	-

**Prolux H (Vertical)**

PS120/14	1200	140	43	208	-
PS120/21	1200	210	43	312	-
PS120/28	1200	280	43	416	-
PS120/35	1200	350	43	520	-
PS120/42	1200	420	43	624	-
PS120/49	1200	490	43	728	-
PS120/56	1200	560	43	832	-
PS120/63	1200	630	43	936	-
PS120/70	1200	700	43	1040	-
PS140/14	1400	140	43	240	-
PS140/21	1400	210	43	360	-
PS140/28	1400	280	43	480	-
PS140/35	1400	350	43	600	-
PS140/42	1400	420	43	720	-
PS140/49	1400	490	43	840	-
PS140/56	1400	560	43	960	-
PS140/63	1400	630	43	1080	-
PS140/70	1400	700	43	1200	-
PS160/14	1600	140	43	273	-
PS160/21	1600	210	43	410	-
PS160/28	1600	280	43	547	-
PS160/35	1600	350	43	683	-
PS160/42	1600	420	43	820	-
PS160/49	1600	490	43	956	-
PS160/56	1600	560	43	1093	-
PS160/63	1600	630	43	1230	-
PS160/70	1600	700	43	1366	-
PS180/14	1800	140	43	306	-
PS180/21	1800	210	43	459	-
PS180/28	1800	280	43	612	-
PS180/35	1800	350	43	764	-
PS180/42	1800	420	43	917	-
PS180/49	1800	490	43	1070	-
PS180/56	1800	560	43	1223	-
PS180/63	1800	630	43	1376	-
PS180/70	1800	700	43	1529	-
PS200/14	2000	140	43	340	-
PS200/21	2000	210	43	509	-
PS200/28	2000	280	43	679	-
PS200/35	2000	350	43	849	-
PS200/42	2000	420	43	1019	-
PS200/49	2000	490	43	1189	-
PS200/56	2000	560	43	1359	-
PS200/63	2000	630	43	1528	-
PS200/70	2000	700	43	1698	-
PS220/14	2200	140	43	374	-
PS220/21	2200	210	43	561	-
PS220/28	2200	280	43	748	-
PS220/35	2200	350	43	936	-
PS220/42	2200	420	43	1123	-

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
PS220/49	2200	490	43	1310	-
PS220/56	2200	560	43	1497	-
PS220/63	2200	630	43	1684	-
PS220/70	2200	700	43	1871	-
PSL120/14	1200	140	61	316	-
PSL120/21	1200	210	61	474	-
PSL120/28	1200	280	61	632	-
PSL120/35	1200	350	61	790	-
PSL120/42	1200	420	61	948	-
PSL120/49	1200	490	61	1106	-
PSL120/56	1200	560	61	1264	-
PSL120/63	1200	630	61	1422	-
PSL120/70	1200	700	61	1580	-
PSL140/14	1400	140	61	360	-
PSL140/21	1400	210	61	540	-
PSL140/28	1400	280	61	720	-
PSL140/35	1400	350	61	900	-
PSL140/42	1400	420	61	1080	-
PSL140/49	1400	490	61	1260	-
PSL140/56	1400	560	61	1440	-
PSL140/63	1400	630	61	1620	-
PSL140/70	1400	700	61	1800	-
PSL160/14	1600	140	61	406	-
PSL160/21	1600	210	61	609	-
PSL160/28	1600	280	61	812	-
PSL160/35	1600	350	61	1015	-
PSL160/42	1600	420	61	1218	-
PSL160/49	1600	490	61	1421	-
PSL160/56	1600	560	61	1624	-
PSL160/63	1600	630	61	1827	-
PSL160/70	1600	700	61	2030	-
PSL180/14	1800	140	61	446	-
PSL180/21	1800	210	61	669	-
PSL180/28	1800	280	61	892	-
PSL180/35	1800	350	61	1115	-
PSL180/42	1800	420	61	1338	-
PSL180/49	1800	490	61	1561	-
PSL180/56	1800	560	61	1784	-
PSL180/63	1800	630	61	2007	-
PSL180/70	1800	700	61	2230	-
PSL200/14	2000	140	61	486	-
PSL200/21	2000	210	61	729	-
PSL200/28	2000	280	61	972	-
PSL200/35	2000	350	61	1215	-
PSL200/42	2000	420	61	1458	-
PSL200/49	2000	490	61	1701	-
PSL200/56	2000	560	61	1944	-
PSL200/63	2000	630	61	2187	-
PSL200/70	2000	700	61	2430	-
PSLS120/14	1200	140	104	434	-
PSLS120/21	1200	210	104	650	-
PSLS120/28	1200	280	104	867	-
PSLS120/35	1200	350	104	1084	-
PSLS120/42	1200	420	104	1301	-
PSLS120/49	1200	490	104	1518	-
PSLS120/56	1200	560	104	1734	-
PSLS120/63	1200	630	104	1951	-
PSLS120/70	1200	700	104	2168	-

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
PSLS140/14	1400	140	104	491	-
PSLS140/21	1400	210	104	737	-
PSLS140/28	1400	280	104	983	-
PSLS140/35	1400	350	104	1229	-
PSLS140/42	1400	420	104	1474	-
PSLS140/49	1400	490	104	1720	-
PSLS140/56	1400	560	104	1966	-
PSLS140/63	1400	630	104	2211	-
PSLS140/70	1400	700	104	2457	-
PSLS160/14	1600	140	104	546	-
PSLS160/21	1600	210	104	819	-
PSLS160/28	1600	280	104	1092	-
PSLS160/35	1600	350	104	1365	-
PSLS160/42	1600	420	104	1638	-
PSLS160/49	1600	490	104	1911	-
PSLS160/56	1600	560	104	2184	-
PSLS160/63	1600	630	104	2457	-
PSLS160/70	1600	700	104	2730	-
PSLS180/14	1800	140	104	599	-
PSLS180/21	1800	210	104	898	-
PSLS180/28	1800	280	104	1198	-
PSLS180/35	1800	350	104	1497	-
PSLS180/42	1800	420	104	1797	-
PSLS180/49	1800	490	104	2096	-
PSLS180/56	1800	560	104	2396	-
PSLS180/63	1800	630	104	2695	-
PSLS180/70	1800	700	104	2995	-
PSLS200/14	2000	140	104	650	-
PSLS200/21	2000	210	104	975	-
PSLS200/28	2000	280	104	1300	-
PSLS200/35	2000	350	104	1625	-
PSLS200/42	2000	420	104	1950	-
PSLS200/49	2000	490	104	2276	-
PSLS200/56	2000	560	104	2601	-
PSLS200/63	2000	630	104	2926	-
PSLS200/70	2000	700	104	3251	-

**Vago (Horizontal)**

V4008/11	400	805	57	-	494
V4010/11	400	1005	57	-	618
V4012/11	400	1205	57	-	742
V4014/11	400	1405	57	-	865
V4016/11	400	1605	57	-	989
V4018/11	400	1805	57	-	1112
V4020/11	400	2005	57	-	1236
V5504/11	550	405	57	-	334
V5505/11	550	505	57	-	417
V5506/11	550	605	57	-	498
V5507/11	550	705	57	-	581
V5508/11	550	805	57	-	664
V5509/11	550	905	57	-	747
V5510/11	550	1005	57	-	830
V5512/11	550	1205	57	-	996
V5514/11	550	1405	57	-	1162
V5516/11	550	1605	57	-	1328
V5518/11	550	1805	57	-	1494
V5520/11	550	2005	57	-	1660
V9504/11	950	405	57	-	534

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
V9505/11	950	505	57	-	666
V9506/11	950	605	57	-	796
V9507/11	950	705	57	-	928
V9508/11	950	805	57	-	1061
V9509/11	950	905	57	-	1193
V9510/11	950	1005	57	-	1326
V9512/11	950	1205	57	-	1591
V4008/20	400	805	105	-	546
V4010/20	400	1005	105	-	683
V4012/20	400	1205	105	-	820
V4014/20	400	1405	105	-	956
V4016/20	400	1605	105	-	1093
V4018/20	400	1805	105	-	1229
V4020/20	400	2005	105	-	1366
V4022/20	400	2205	105	-	1503
V4026/20	400	2605	105	-	1776
V4030/20	400	3005	105	-	2049
V5504/20	550	405	105	-	357
V5505/20	550	505	105	-	446
V5506/20	550	605	105	-	533
V5507/20	550	705	105	-	622
V5508/20	550	805	105	-	710
V5509/20	550	905	105	-	799
V5510/20	550	1005	105	-	888
V5512/20	550	1205	105	-	1066
V5514/20	550	1405	105	-	1243
V5516/20	550	1605	105	-	1421
V5518/20	550	1805	105	-	1598
V5520/20	550	2005	105	-	1776
V5522/20	550	2205	105	-	1954
V5526/20	550	2605	105	-	2309
V5530/20	550	3005	105	-	2664
V9504/20	950	405	105	-	579
V9505/20	950	505	105	-	722
V9506/20	950	605	105	-	862
V9507/20	950	705	105	-	1005
V9508/20	950	805	105	-	1149
V9509/20	950	905	105	-	1292
V9510/20	950	1005	105	-	1436
V9512/20	950	1205	105	-	1723
V4006/21	400	605	105	-	544
V4008/21	400	805	105	-	725
V4010/21	400	1005	105	-	906
V4012/21	400	1205	105	-	1087
V4014/21	400	1405	105	-	1268
V4016/21	400	1605	105	-	1450
V4018/21	400	1805	105	-	1631
V4020/21	400	2005	105	-	1812
V4022/21	400	2205	105	-	1993
V4026/21	400	2605	105	-	2356
V4030/21	400	3005	105	-	2718
V5504/21	550	405	105	-	481
V5505/21	550	505	105	-	559
V5506/21	550	605	105	-	716
V5507/21	550	705	105	-	835
V5508/21	550	805	105	-	954
V5509/21	550	905	105	-	1074
V5510/21	550	1005	105	-	1193

Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
V5512/21	550	1205	105	-	1432
V5514/21	550	1405	105	-	1670
V5516/21	550	1605	105	-	1909
V5518/21	550	1805	105	-	2147
V5520/21	550	2005	105	-	2386
V5522/21	550	2205	105	-	2625
V5526/21	550	2605	105	-	3102
V5530/21	550	3005	105	-	3579
V9504/21	950	405	105	-	760
V9505/21	950	505	105	-	948
V9506/21	950	605	105	-	1132
V9507/21	950	705	105	-	1320
V9508/21	950	805	105	-	1509
V9509/21	950	905	105	-	1697
V9510/21	950	1005	105	-	1886
V9512/21	950	1205	105	-	2263
V2508/22	250	805	105	-	590
V2510/22	250	1005	105	-	737
V2512/22	250	1205	105	-	884
V2514/22	250	1405	105	-	1032
V2516/22	250	1605	105	-	1179
V2518/22	250	1805	105	-	1327
V2520/22	250	2005	105	-	1474
V2522/22	250	2205	105	-	1621
V2526/22	250	2605	105	-	1916
V2530/22	250	3005	105	-	2211
V4006/22	400	605	105	-	657
V4008/22	400	805	105	-	876
V4010/22	400	1005	105	-	1095
V4012/22	400	1205	105	-	1314
V4014/22	400	1405	105	-	1533
V4016/22	400	1605	105	-	1752
V4018/22	400	1805	105	-	1971
V4020/22	400	2005	105	-	2190
V4022/22	400	2205	105	-	2409
V4026/22	400	2605	105	-	2847
V4030/22	400	3005	105	-	3285
V5504/22	550	405	105	-	582
V5505/22	550	505	105	-	727
V5506/22	550	605	105	-	868
V5507/22	550	705	105	-	1012
V5508/22	550	805	105	-	1157
V5509/22	550	905	105	-	1301
V5510/22	550	1005	105	-	1446
V5512/22	550	1205	105	-	1735
V5514/22	550	1405	105	-	2024
V5516/22	550	1605	105	-	2314
V5518/22	550	1805	105	-	2603
V5520/22	550	2005	105	-	2892
V5522/22	550	2205	105	-	3181
V5526/22	550	2605	105	-	3760
V5530/22	550	3005	105	-	4338
V9504/22	950	405	105	-	897
V9505/22	950	505	105	-	1118
V9506/22	950	605	105	-	1335
V9507/22	950	705	105	-	1558
V9508/22	950	805	105	-	1780
V9509/22	950	905	105	-	2003

## Flat Panel Radiators - Data Sheet

<b>Product Code</b>	<b>Height (mm)</b>	<b>Width (mm)</b>	<b>Depth (mm)</b>	<b>Output Delta t 60°C (Watts)</b>	<b>Output Delta t 50°C (Watts)</b>
V9510/22	950	1005	105	-	2225
V9512/22	950	1205	105	-	2670
V2508/33	250	805	166	-	921
V2510/33	250	1005	166	-	1151
V2512/33	250	1205	166	-	1381
V2514/33	250	1405	166	-	1611
V2516/33	250	1605	166	-	1842
V2518/33	250	1805	166	-	2072
V2520/33	250	2005	166	-	2302
V2522/33	250	2205	166	-	2532
V2526/33	250	2605	166	-	2993
V2530/33	250	3005	166	-	3453
V4008/33	400	805	166	-	1422
V4010/33	400	1005	166	-	1778
V4012/33	400	1205	166	-	2134
V4014/33	400	1405	166	-	2489
V4016/33	400	1605	166	-	2845
V4018/33	400	1805	166	-	3200
V4020/33	400	2005	166	-	3556
V5506/33	550	605	166	-	1327
V5507/33	550	705	166	-	1548
V5508/33	550	805	166	-	1770
V5509/33	550	905	166	-	1991
V5510/33	550	1005	166	-	2212
V5512/33	550	1205	166	-	2654
V5514/33	550	1405	166	-	3097
V5516/33	550	1605	166	-	3539
V5518/33	550	1805	166	-	3982
V5520/33	550	2005	166	-	4424
<b>Vago (Vertical)</b>					
V16040/10	1605	400	57	-	653
V16055/10	1605	550	57	-	837
V18040/10	1805	400	57	-	704
V18055/10	1805	550	57	-	903
V20040/10	2005	400	57	-	755
V20055/10	2005	550	57	-	969
V16040/20	1605	400	105	-	1062
V16055/20	1605	550	105	-	1292
V18040/20	1805	400	105	-	1165
V18055/20	1805	550	105	-	1418
V20040/20	2005	400	105	-	1267
V20055/20	2005	550	105	-	1542

All radiators (except for the Prolux C) come complete with fixing brackets.  
 Flat panel radiators are designed for closed/indirect heating systems.  
 Simply Radiators reserve the right to alter design, specifications and prices without prior notice.

simply radiators

7 Centurion Court, Brick Close, Milton Keynes, Buckinghamshire, MK11 3JB  
 Tel: 0870 991 3648, Fax: 0870 432 5213, Email: sales@simplyradiators.co.uk, Web: www.simplyradiators.co.uk